



INDEX MAPS.

T. 4N, R. 3E. 2nd Mer.



T. 5N, R. 3E. 2nd Mer.



The figures on the lines refer to the page.

181

Township N. 4 North, Range N. 3 East 2. Mer. Indiana

South Boundary.

Nest On Rand^m S. boundary of Sec. 36, T4N. R3E.

25.20 a Brook 10 lks. wide Course S.W.

33.50 a do 10 lks. " " S.W.

40.00 Let temp^y. of Sec. post

50.00 a Brook 10 lks. wide Course S.W.

80.00 Let temp^y. Mile post.

Middling Oak & Hickory, Beech timber. Soil.

Nest On Rand^m S. boundary of Sec. 35, T4N. R3E

24.50 a Brook 20 lks. wide Course N.W.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Mile post. This mile over good
land, timber Beech & Poplar

Nest On Rand^m S. boundary of Sec. 34, T4N. R3E.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Mile post. This mile over very
hilly land, timber Oak, Hickory &c.

Nest On Rand^m S. boundary of Sec. 33, T4N. R3E.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Mile post. Land, timber &c. same

Nest On Rand^m S. boundary of Sec. 32, T4N. R3E.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Mile post. Land the same quality

Nest On Rand^m S. boundary of Sec. 31, T4N. R3E.

40.00 Let temp^y. of Sec. post.

77.84 Intersected the N. & S. line 27 lks. South of
Town Corner. Land flat, timber principally Beech.

T4N R3E. 2^d Mer. Indiana

East On true line S. boundary of Sec. 31, T4N. R3E.
 37.84 Set the q. Sec. post on true line, from which
 a Beech 15 in. dia. bear S25N5W. dist. of
 an Ironwood 6 " " " N23W15 " "
 77.84 Set a post Cor. to Sec. 31 & 32, T4N. R3E, from which
 a W. Oak 10 in. dia. bear S6W27W. dist. of
 a B. Oak 13 " " " N6E8 " "

East On true line S. boundary of Sec. 32, T4N. R3E.
 40.00 Set the q. Sec. post on true line, from which
 a Gum 12 in. dia. bear S66W26W. dist. of
 a Sugar 15 " " " N66E26 " "
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Hickory 10 in. dia. bear S61E14W. dist. of
 a Do 10 " " " N16E.18 " "

East On true line S. boundary of Sec. 33, T4N. R3E.
 40.00 Set the q. Sec. post on true line, from which
 a Beech 10 in. dia. bear S52W6W. dist. of
 a W. Oak 20 " " " S52E19 " "
 80.00 Set a post Cor. to Sec. 33 & 34, from which
 a Dogwood 7 in. dia. bear S76W21W. dist. of
 a B. Oak 10 " " " S40E2 " "

East On true line S. boundary of Sec. 34, T4N. R3E.
 40.00 Set the q. Sec. post on true line, from which
 a Dogwood 6 in. dia. bear S49E3W. dist. of
 a Do 5 " " " N19W27 " "
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a Beech 10 in. dia. bear N45E24W. dist. of
 a Do 12 " " " S22W23 " "

East On true line S. boundary of Sec. 35, T4N. R3E.

T4N R3E 2^d Mer. Indiana

- 40.00 At the q. Sec. post on true line from which
a Beech 10 in. dia. bears S 19° 26' W 46 lbs. dist. of
a do 6 " " " N 23° 12' 22 " "
80.00 At a post Cor. to Sec. 35 & 36, from which
a Beech 15 in. dia. bears S 43° E 6 lbs. dist. of
a do 8 " " " S 81° 11' 8 " "

- East On true line S. boundary of Sec. 36, T4N R3E.
40.00 At the q. Sec. post on true line, from which
a Beech 8 in. dia. bears S 63° E 11 lbs. dist. of
an Iron? 6 " " " N 73° 11' 25 " "
80.00 to Town Corner. September 28th 1876.

East Boundary

- North On E. boundary of Sec. 36, T4N R3E.
40.00 At the q. Sec. post, from which
a R. Oak 10 in. dia. bears N 1° E 17 lbs. dist. of
a do 12 " " " S 20° 11' 29 " "
66.80 a W. Oak 15 " "
80.00 At a post Cor. to Sec. 25 & 36, from which
a Hickory 10 in. dia. bears S 52° E 9 lbs. dist. of
a Dogwood 5 " " S 32° 11' 2 " "
This mile over Broken Oak timbered land

- North On E. boundary of Sec. 25, T4N R3E.
3.04 a Beech 15 in. dia.
40.00 At the q. Sec. post, from which
a Maple 10 in. dia. bears S 30° E 13 lbs. dist. of
a Hickory 10 " " " N 60° 11' 11 " "
48.45 a Maple 15 " "
58.50 a run 10 lbs. wide Course N. E.
67.00 a Brook 15 " " " N. E.
80.00 At a post Cor. to Sec. 24 & 25, from which

184

T4 N R3 E. 2nd Mer. Indiana

a Sugar 6 in. dia. beam S20 E. 8 lks. dist. of
a Beech 6 " " " N34 W 17 " "
Last 1/2 mile over level Beech land

North On E. boundary of Sec. 24, T4 N. R3 E.

1.50 a Brook 10 lks. wide Course E.
10.50 a Do 10 " " " N.W.
18.50 a Creek 350 " " " West (Muscatituck)
27.55 a Beech 15 in. dia.
40.00 Let the gr. Sec. post, from which
a Beech 20 in. dia. beam S49 E. 4 lks. dist. of
a Hickory 20 " " " N65 W 13 " "
70.65 a W. Oak 40 " "
80.00 Let a post Cor. to Sec. 13 & 24, from which
a Beech 10 in. dia. beam S60 E 8 lks. dist. of
a Do 10 " " " N80 W 12 1/2 " "
This mile over good level Beech timbered land

North On E. boundary of Sec. 13, T4 N. R3 E.

5.50 a Brook 5 lks. wide Course E. S.W.
28.50 a Beech 15 in. dia.
40.00 Let the gr. Sec. post, from which
a Beech 6 in. dia. beam S52 W 16 lks. dist. of
a Gum 20 " " " N44 W 11 " "
70.10 a W. Oak 20 " "
80.00 Let a post Cor. to Sec. 12 & 13, from which
a Beech 20 in. dia. beam S2 E 29 lks. dist. of
a Do 24 " " " N57 W 17 " "
Level Beech, timbered land underbrush Spice

North On E. boundary of Sec. 12, T4 N. R3 E.

40.00 Let the gr. Sec. post, from which
a Hickory 20 in. dia. beam N85 E 16 1/2 lks. dist. of

T4N R3E 2^d Mer. Indiana

a Dogwood 6 in. dia. bran N 55 W 3 lks. dist
 66.15 a W. Oak 15 " "
 80.00 Set a post Cor. to Sec. 1, 1412, from which
 a Dogwood 6 in. dia. bran S 60 E 2 lks. dist of
 a W. Oak 10 " " " S 57 W 19 " "
 Over brushy level oak timbered land.

North On E. boundary of Sec. 1, T4N. R3E.
 40.00 Set the q. Sec. post, from which
 a B. Oak 10 in. dia. bran N 42 W 7 lks. dist of
 a Hickory 20 " " " S 45 W 14 " "
 80.00 Set a post Cor. to Townships N. 4 & 5 St. Range
 N. 3 & 4 E. from which
 a B. Oak 40 in. dia. bran S 50 E 32 lks. dist.
 a Beech 10 " " " S 60 W 29 " "
 This mile over level Oak & Hickory timbered
 land very brushy.

North Boundary
 East On Rand^m. S. boundary of Sec. 31, T5N. R3E.
 40.00 Set temp. q. Sec. post
 60.00 a Brook 10 lks. wide Course S. 9 W.
 80.00 Set temp. mile post.
 Over very high hills, timber Oak, thin soil

East On Rand^m. S. boundary of Sec. 32, T5N. R3E.
 40.00 Set temp. q. Sec. post
 80.00 Set temp. mile post.
 Land timber &c. same as on the last mile.

East On Rand^m. S. boundary of Sec. 33, T5N. R3E.
 40.00 Set temp. q. Sec. post, in the River bottom
 71.11 a Brook 10 lks. South

T4 N. R3 E. 2^d Mer. Indiana

80.00 Let tempf. Mile post.
 Land flat, timber Beech &c.

East On Rand^m. S. boundary of Sec. 34, T5 N. R3 E.
 40.00 Let tempf. q. Sec. post
 80.00 Let tempf. Mile post.
 Land the Same, flat, timber Beech, Elm &c

East On Rand^m. S. boundary of Sec. 35, T5 N. R3 E.
 5.00 a Brook 10 lks. wide Cr. South
 39.11 to White River
 80.00 tempf. in White River.
 Land timber &c. Same as on the last mile

East On Rand^m. S. boundary of Sec. 36, T5 N. R3 E.
 40.00 Let tempf. q. Sec. post
 74.00 Intersected the N of S. ^{line} 20 lks. S. of Town Corner
 Land level.

West On true line S. boundary of Sec. 36, T5 N. R3 E. N. 6. 30'
 27.00 a ——— 20 in. dia.
 40.00 Let the q. Sec. post, from which
 a Locust 15 in. dia. bear S 80 E 40 lks. dist. of
 a Beech 20 " " " N 52 E 2 1/2 " "
 72.00 Let a post on White River, from which
 a W. Ash 20 in. dia. bear N 20 E 16 lks. dist. of
 a Hickory 20 " " " S 30 W 11 " "
 80.00 Let a post Cor. to Sec. 35 & 36, T5 N. R3 E, from which
 a Locust 8 in. dia. bear N 83 E 45 lks. dist. of
 on the N.W. side of the River

West On true line S. boundary of Sec. 35, T5 N. R3 E.
 20.42 to a Maple on the River bank 8 in. dia.

187 Lot R3E. T. Mer. Indiana

35.50 Set a post on the River bank, from which
a Mulberry 8 m. diam. bear S67W 21 lks. dist. of
a Sugar 10 " " " N6E 12 " "

40.00 Set the q. Sec. post, from which
a Cherry 5 m. diam. bear S44W 18 lks. dist. of
a Red bud 6 " " " S74W 14 " "

80.00 Set a post Cor. to Sec. 34 & 35, T5N. R3E, from which
a Beech 20 m. diam. bear N10E 16 lks. dist. of
a Do 8 " " " N8W 18 " "

Post On true line S. boundary of Sec. 34, T5N. R3E.

40.00 Set the q. Sec. post, from which
a Beech 20 m. diam. bear N22W 8 lks. dist. of
a Do 6 " " " S67E 9 " "

80.00 Set a post Cor. to Sec. 33 & 34, T5N. R3E, from which
a Beech 12 m. diam. bear N37E 14 lks. dist. of
a Do 30 " " " N32W 22 " "

Post On true line S. boundary of Sec. 33, T5N. R3E.

40.00 a Beech 6 m. diam. Marked for q. Sec. Corner

80.00 Set a post Cor. to Sec. 32 & 33, T5N. R3E, from which
a Beech 20 m. diam. bear S80E 20 lks. dist. of
a Do 8 " " " S24W 11 " "

Post On true line S. boundary of Sec. 32, T5N. R3E.

17.50 a Brook 18 lks. wide Corner Post

40.00 a P. Oak 10 m. diam. Marked for q. Sec. Corner

80.00 a W. Oak 20 " " Marked for Cor. to Sec. 31 & 32
T5N. Range 3E.

Post On true line S. boundary of Sec. 31, T5N. R3E.

40.00 Set the q. Sec. post on true line from which
a W. Oak 20 m. diam. bear S10E 17 lks. dist. of

T4N R3E. 2^d Mer. Indiana

a Logwood 6 in. dia. bray S54°W 12 lks. dist.
74.61 To the Town Corner.

West Boundary

North On E. boundary of Sec. 36, T4N. R2E.

12.50 a Creek 200 lks. wide Course N.W.

23.00 do 200 " " " N.E.

25.00 a Beech 15 in. dia.

40.00 let the q. Sec. post, from which

a B. Oak 10 in. dia. bray N84°W 8 lks. dist. ✓

a W. Oak 5 " " " N57°E 2 " "

48.50 a Creek 200 lks. wide Course N.

55.00 to where it turns N.W.

64.50 same Creek Course N.

68.00 to where it turns N.W.

80.00 let a post Cor. to Sec. 25 of 36, T4N. R2E, from which

a Beech 10 in. dia. bray N88°W 26 lks. dist. ✓

a Logw. 5 " " " N40°E 14 1/2 " "

Good farming land

North On E. boundary of Sec. 25, T4N. R2E.

30.50 a W. Ash 24 in. dia.

40.00 let the q. Sec. post, from which

a Gum 20 in. dia. bray N24°W 20 lks. dist. ✓

a Beech 8 " " " S9°E 22 " "

75.00 a Brook 10 lks. wide Course N.E.

80.00 let a post Cor. to Sec. 24 of 25, T4N. R2E, from which

a Sugar 10 in. dia. bray S35°E 7 lks. dist. ✓

a Beech 40 " " " S77°W 13 " "

This mile over rich broken land, timber Sugar
Poplar &c.

North On E. boundary of Sec. 24, T4N. R2E.

T4N R3E 2nd Mer. Indiana

- .06 a Sugar 12 mi. dist.
 40.00 Let the q. Sec. post, from which
 a W. Oak 40 mi. dist. bear S15E 23 lks. dist. of
 a Hackberry 5 " " " N60W 9 " "
 43.56 Let a post on the Left bank of White River, from which
 an Ironwood 10 mi. dist. bear N18E 14 lks. dist. of
 a Do 8 " " " S53E 13 " "
 Variation E. 30' E.
 53.21 Let a post on the Right bank of White river, from which
 a Red bud 8 mi. dist. bear S15W 7 lks. dist. of
 a Locust 20 " " " N8E 24 " "
 80.00 Let a post Cor. to Sec. 13 & 24, T4N. R2E. from which
 a Hackberry 20 mi. dist. bear South 43 lks. dist. of
 an Elm 20 " " " S58W 23 " "
 Strip mile over level land timber ash, elm, maple

North On E. boundary of Sec. 13, T4N. R2E.

- 30.00 a Beech 20 mi. dist.
 40.00 Let the q. Sec. post, from which
 a Beech 15 mi. dist. bear S5W 48 lks. dist. of
 an Elm 12 " " " S76W 16 " "
 76.00 a Spring run 3 lks. wide Course NW.
 80.00 Let a post Cor. to Sec. 12 & 13, T4N. R2E. from which
 a Beech 8 mi. dist. bear S12W 10 lks. dist. of
 a Do 8 " " " N22E 13 " "
 Land rich and rolling, timber Poplar, Beech &c

North On E. boundary of Sec. 12, T4N. R2E.

- 28.00 a Brook 4 lks. wide Course N.
 40.00 Let the q. Sec. post, from which
 a Hickory 10 mi. dist. bear S80W 28 lks. dist. of
 a Beech 8 " " " N79W 25 " "
 46.00 a W. Oak 20 " "

T4 N. R3 E. 2^d. Mer. Indiana

71.50 a W. Oak 23 in. dia.

80.00 Set a post Cor. to Sec. 1 & 12, T4 N. R2 E. from which
a W. Oak 15 in. dia. bears S73°19' W. 9 lks. dist. &
an Iron? 6 " " " S8 E 40 " "
Over hilly land, timber Oak & Hickory

North On E. boundary of Sec. 1, T4 N. R2 E.

5.50 a Brook 10 lks. wide Course W.

40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bears S58 E 11 lks. dist. &
a do 6 " " " N75°14' " "

72.00 a Brook 12 lks. wide Course S. W.

77.00 a do 12 " " " S E.

80.00 Set a post Cor. to Township N. 4 & 5 North
Range N. 2 & 3 East, from which
a Beech 6 in. dia. bears S34°17' W. 7 lks. dist. &
a Dogwood 6 " " " N51°11' 13 " "
Land the same very hilly.

Surveyed in 1806 by Arthur Henrie, Dep. Sur.

Subdivision

May 26th. 1807. variation 6.00' E.

North Between Sec. 35 & 36, T4 N. R3 E.

25.50 a Brook 20 lks. wide Course S. W.

40.00 Set the q. Sec. post from which
a Beech 30 in. dia. bears S32 E 8 lks. dist. &
a do 7 " " " N15 E 20 " "

80.00 Set post Cor. to Sec. 25, 26, 35, 36. From which
a Hickory 10 in. dia. bears N78 E 30 lks. dist. &
a do 5 " " " S60 W 11 " "

the first half mile level the principal timber
Beech some poplar ash & Ironwood, good farming
Land the last half mile 3^d rate Hills.

T4 N R3 E 2^d. Mer. Indiana

East On Random line Between Sec^s. 25, 36. T4 N. R. 3 E
 40.00 Set temp^y. q^r. Sec. post
 79.33 Intersected the N. & S. line 2.16 lks. North of the post
 the greatest part of this mile 3^d. rate Hills.

West On true line Between Sec^s. 25 & 36 T4 N. R. 3 E.
 39.66 Set the q^r. Sec. post at average dist. from which
 a Beech 8 in. dia^r. bears S17E 7 lks. dist. &
 a No 7 " " " West 2 " "
 79.33 to Sec. Corner

North Between Sec^s. 25 & 36. T4 N. R. 3 E. 6.00
 40.00 Set the q^r. Sec. post from which
 a Beech 7 in. dia^r. bears N42E 14 lks. dist. &
 a B. Oak 24 " " " N15W 20 " "
 40.00 Set post Corner to Sec^s. 23, 24, 25, 26. from which
 a Beech 18 in. dia^r. bears S57E 19 lks. dist. &
 a Chusnut 14 " " " N34W 34 " "
 this mile 3^d. rate Hills very brushy and steep

East On Random line Between Sec^s. 24 & 25 T4 N. R. 3 E.
 40.00 Set the temp^y. q^r. Sec. post
 79.27 Intersected the N. & S. line 1.36 lks. North of post.
 this mile 3^d. rate Hills timber Chusnut Oak Hick^y.

West On true line Between Sec^s. 24 & 25 T4 N. R. 3 E.
 39.63 Set the q^r. Sec. post at average dist. from which
 a C. Oak 12 in. dia^r. bears N78W 23 lks. dist. &
 a Hickory 6 " " " N76E 27 " "
 79.27 to Sec. Corner

North Between Sec^s. 23 & 24 T4 N. R. 3 E.
 37.00 to the Muscogituck river 2.60 lks. wide Cor. West

T4 N R3 E. 2^d. Mer. Indiana

- 40.00 Set the q^r. Sec. post from which
 a Beech 4 in. dia. bears S 76 E 9 lks. dist. &
 a Sugar 10 " " " N 83 W 17 " "
 40.00 Set a post Corner to Secs. 13, 14, & 23, 24 T4 N. R. 3 E.
 from which a Beech 12 in. dia. bears S 64 E 3 lks. dist. &
 a Do 18 " " " N 64 W 29 " "
 this mile part Hilly and part river Bottom
 the last half good farming land timber Beech
 Sugar Maple &c May 27th 1807.
-

North Between Secs. 34 & 35 T4 N. R. 3 E.

- 40.00 Set the q^r. Sec. post from which
 a Beech 10 in. dia. bears S 83 W 3. lks. dist. &
 a Do 6 " " " N 83 E 33. " "
 19.00 Creek 50 lks. wide Cor^r. N. W.
 40.00 Set a post Corner to Secs. 26, 27, 34 & 35. from which
 a Beech 9 in. dia. bears N - W 5 lks. dist. &
 a Do 14 " " " S - E 36 " "
 the first half mile 3^d. rate Hilly the last creek
 bottom and middling farming land
-

East On Random line Between Secs. 26 & 35 T4 N. R. 3 E

- 40.00 Set temp^y. q^r. Sec. post
 77.56 Intersected N. & S line 88. lks. South of post
 this mile rolling land timber Beech Oak
 Ash &c middling farming land
-

West On true line Between Secs. 26 & 35 T4 N. R. 3 E

- 38.78 Set the q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bears N 22 W 7 lks dist &
 a Do 30 " " " S 75 W 19 " "
 77.56 to Sec. Corner.
-

T4 N. R3 E. 2. Mer. Indiana

May 28th 1807 variation 5. 30. E

East On Rand. betw. Sec. 13 & 24, T4 N. R3 E.

40.00 Set temp. q. Sec. post

60.00 a Small branch Course S.W.

78.87 Intersected the N & S. line 110 lks. N. of post
 Level of post rolling, timber Beech, Sugar,
 Poplar, Ash, Walnut &c. good farming land

West On true line between Sec. 13 & 24, T4 N. R3 E.

39.43 Set q. Sec. post at average dist. from which
 a Beech 14 in. dia. bray N 15 W 10 lks. dist. of
 a Do 8 " " " N 6 W 46 " "

78.87 to Section Corner.

West Between Sec. 14 & 23, T4 N. R3 E.

40.00 Set the q. Sec. post, from which
 a Beech 27 in. dia. bray S 51 W 11 lks. dist. of
 a do 18 " " " N 37 W 17 " "

79.50 to White River Set a post Cor. to Sec. 14 & 23, from which
 a Willow 8 in. dia. bray S 83 E 14 lks. dist. of
 a Maple 6 " " " N 76 W 6 " "

This mile Over bottom rich Soil, timber Beech,
 Sugar, Poplar, Ash &c some Walnut & Mulberry
 good farming land

North Between Sec. 13 & 14, T4 N. R3 E.

40.00 Set the q. Sec. post, from which
 a P. Oak 20 in. dia. bray N 66 E 39 lks. dist. of
 an Elm 36 " " " — 12 " "

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a Hickory 8 in. dia. bray N 74 E 17 lks. dist. of
 a Beech 7 " " " S 2 W 19 " "

The 1st 1/2 mile rolling — the last river bottom

T4N R3E 2^d Mer. Indiana

Timber same 1st rate farming land.

East On Rand^m. betwⁿ Sec^s. 12 & 13, T4N. R3E.

40.00 Let the q^r. Sec. post

78.84 Intersected the E. boundary 123 lks. S. of post
Land rolling timber Beech, Oak, Poplar &c
good farming land.

West On true line between Sec^s. 12 & 13, T4N. R3E.

39.42 Let the q^r. Sec. post at average dist. from which
a Poplar 20 in. dia. bear S 35 E 9 lks. dist. of
a Beech 12 " " " S 26 W 23 " "

78.80 to Sec. Corner.

West Between Sec^s. 11 & 14, T4N. R3E.

40.00 Let the q^r. Sec. post, from which
a Hickory 11 in. dia. bear S 88 W 3 lks. dist. of
a Hackberry 20 " " " S 3 E 20 " "

55.94 Let a post on the Left bank of White river from which
a Poplar 6 in. dia. bear N 40 E 15 lks. dist. of
an Elm 8 " " " S 23 E 35 " "

This mile 1st rate bottom, timber Buckeye, Hickory,
Walnut, Elm, Locust &c. This bottom overflows
in time of high water

North Between Sec^s. 11 & 12, T4N. R3E.

40.00 Let the q^r. Sec. post, from which
a Beech 5 in. dia. bear S 25 E 14 lks. dist. of
a Do 10 " " " S 28 W 19 " "

80.00 Let a post cor. to Sec^s. 1, 2, 11 & 12, from which
a Beech 10 in. dia. bear S 69 W 7 lks. dist. of
a Do 5 " " " N 1 E 15 " "

This mile over bottom good farming land, timber

T4N R3E 2^d Mer. Indiana

Beech, Sugar, Ash, Walnut &c.

West Between Secs. 2 & 11, T4N. R3E.

40.00 At the q. Sec. post, from which
a B. Walnut 18 in. dia. bray N36E 25 lks. dist. &
a Beech 5 " " " N64W 34 " "

55.52 to White river, set a post Cor. to Sec. 2 & 11, from which
a Beech 5 in. dia. bray N89W 8 lks. dist. &
a Ho 6 " " " S21W 6 " "
Land timber same good farming land

East On Rand. between Secs. 1 & 12, T4N. R3E.

18.50 a Brook 12 lks. wide Course S.

40.00 At temp. q. Sec. post

79.00 Intersected the N. & S. line 106 lks. N. of post
1st 1/2 mile 1st rate farming land well timbered

West On true line betw. Secs. 1 & 12, T4N. R3E.

39.50 At the q. Sec. post at average dist. from which
a Sugar 5 in. dia. bray S4E 4 lks. dist. &
a Hickory 14 " " " N2W 17 " "

79.00 to Sec. Corner.

North Between Secs. 1 & 2, T4N. R3E.

40.00 At the q. Sec. post, from which
a Beech 20 in. dia. bray S77W 3 lks. dist. &
a Ho 24 " " " S69E 73 " "

68.62 a Beech 10 in. dia. on the Left bank of W. River, marked
for corner to Sec. 1 & 2, T4N. R3E.

This mile river bottom, timber Beech, Sugar, Ash,
Poplar, Walnut &c. undg. th Spruce, good farming land.

North Between Secs. 26 & 27, T4N. R3E. var. 7.00'E.

T4S. R3E. 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post from which
 a Beech 14 in. dia. bran N 83° W 17 lbs. dist. of
 a Do 24 " " " S 71° E 37 " "
- 80.00 Set a post Corner to Sec. 22, 23, 26 & 27 from which
 a Poplar 18 in. dia. bran N 41° E 18 lbs. dist. of
 a Beech 11 " " " S 89° W 53 " "
- This mile hilly land, timber Beech, Poplar, Oak &c.
 the ridges covered with Chestnut oak poor
 farming land.

East On Rand. betw. Sec. 23 & 26, T4S. R3E. var. 6.00.

- 40.00 Set temp. q. Sec. post
 79.60 Intersected the N & S. line 72 lbs. N. of the post
 Land & timber same hills very high & steep
 and very brushy.

West On true line between Sec. 23 & 26, T4S. R3E.

- 39.80 Set the q. Sec. post at average dist. from which
 a Chestnut 27 in. dia. bran S 42° E 25 lbs. dist. of
 a Sugar 14 " " " S 86° W 3 " "
- 79.60 to Sec. Corner.

North Between Sec. 22 & 23, T4S. R3E. var. 6.10. 1/2

- 40.00 Set the q. Sec. post, from which
 a Beech 24 in. dia. bran S 46° E 24 lbs. dist. of
 a Do 10 " " " N 12° W 25 " "
- 71.78 an Elm 18 in. dia. on the left bank of White river
 marked for Cor. to Sec. 22 & 23, T4S. R3E.
 This mile part hilly & part rolling, timber Beech
 Poplar, Ash &c. Middling good farming land

North Between Sec. 33 & 34, T4S. R3E. var. 6.00. 1/2

- 40.00 a Sugar 9 in. dia. marked for q. Sec. Corner.

T4N R3E.2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 27 & 28, 33 & 34, from which
a Beech 12 mi. dist. bear N 86° W 7 lks. dist. of
a do 15 " " " S 80 E 37 " "
The 1st 1/2 mile very hilly, the last 1/2 bottom
timber, Beech, Sugar, Oak, Poplar &c. the last
half, middling good farming land.

East On Rand. m betw. Sec. 27 & 34 T4N R3E. var. 5.30'

4.00 a creek 50 lks. wide Course N.

40.00 a do 50 " " " N.W.

47.00 a do 50 " " " N.E.

78.22 Intersected the N & S. line 122 lks S. of the post.
This mile Creek bottom, the 1st 1/2 mile good
farming land, the last 1/2 low & wet, timber
principally Beech,

West On true line between Sec. 27 & 34, T4N R3E.

39.11 Set of. Sec. post at average dist. from which
a Beech 12 mi. dist. bear S 19° W 24 lks. dist. of
a do 24 " " " N 16 E 30 " "

78.22 to Sec. Corner.

North Between Sec. 27 & 28, T4N R3E. var 7.30'E

4.50 a creek 50 lks. wide Course W.

9.00 a do 10 " " " N.W.

40.00 Set the of. Sec. post, from which
a Beech 24 mi. dist. bear S 42 E 31 lks. dist. of
a R. Oak 27 " " " N 68 W 3 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a W. Oak 15 mi. dist. bear S 12 E 9 lks. dist. of
a do 14 " " " N 52 W 29 " "

The 1st 3/4 of this mile Creek bottom - rather low
& wet - last 1/4 hilly about middling farming land

T4 N R3 E. 2nd Mer. Indiana

timber principally Beech Open woods

East On Random Between Sec^s. 22 & 27 T4 N. R. 3 E. var. 6.30

40 . 00 Set the temp^l. q^r. Sec. post

79 . 53 Intersected N. & S. line 84 lks. South of post

this mile Hills good Soil timber Beech Sugar Poplar
Oak, &c poor farming land

West On true line between Sec^s. 22 & 27 T4 N. R. 3 E.

39 . 76 Set the q^r. Sec. post at average dist. from which

a Chestnut Oak 27 in. dia^t. bears S 22 E 30 lks. dist. &

and Ironwood 10 " " " N 47 W 17 " "

79 . 53 to Sec. Corner

North Between Sec^s. 21 & 22 T4 N. R. 3 E var. 6.15

40 . 00 Set the q^r. Sec. post from which

a Beech 18 in. dia^t. bears S 20 E 19 lks dist. &

a Sugar 10 " " " N 1 E 29 " "

40 . 00 Set the post Cor. to Sec^s. 15, 16, 21, 22. from which

a W. Oak 27 in. dia^t. bears S 50 W 17 lks. dist. &

a Do 27 " " " N 27 E 6 " "

Land Hilly timber Oak Beech Chestnut &c poor
farming land

East On Random line Between Sec^s. 15 & 22 T4 N. R. 3 E.

28 . 04 to the river set post Cor. to Sec^s. 15 & 22. from which

a Beech 13 in. dia^t. bears N 48 W 20 lks dist. &

an Elm 6 " " " S 57 E 12 " "

This line Part rich Hills and part bottom the bet-
tom is about 5 Chances wide good Soil timber Beech
Sugar poplar &c

North Between Sec^s. 15 & 16 T4 N R. 3 E

T4 N. R3 E. 2^d Mer. Indiana

- 10 . 00 a Small lake 10 Chains wide
 32 . 67 (to the river) Set post Cor. to Sec. 15 & 16. from which
 a Sycamore 6 in. dia. bears N 33 E 18 lks. dist. &
 a Do 6 " " " S 20 W 7 " "
 Over first rate Bottom which overflows very broken

- North Between Sec. 32 & 33, T4 N. R. 3 E. May 30th 1807. var. 6. 48
 40 . 00 Set the q. Sec. post from which
 a Dogwood 7 in. dia. bears S 18 W 10 lks. dist. &
 a Beech 5 " " " N 1 E 24 " "
 80 . 00 Set a post Cor. to Sec. 28, 29, 32, 33 from which
 a Beech 5 in. dia. bears S 61 E 2 lks dist. &
 a Hickory 15 " " " N W 9 " "
 This mile middling level timber Oak Hickory Poplar
 Beech &c middling farming land

- East On Random line Between Sec. 28, 33, T4 N. R. 3 E
 40 . 00 Set temp. q. Sec. post.
 80 . 30 Intersected the N. & S. line 1.11. lks. North of post.
 Land Hilly Timber same poor farming land

- West On true line Between Sec. 28, 33, T4 N. R. 3 E var. 6. 40
 40 . 15 Set q. Sec. post at average dist. from which
 a Dogwood 6 in. dia. bears S 6 W 13 lks. dist. &
 a Do 8 " " " N 32 E 6 " "
 80 . 50 To Sec. Corner

- North Between Sec. 28 & 29, T4 N. R. 3 E var. 7. 30
 35 . 00 a creek 50 lks. wide Cor. S. W.
 40 . 00 Set the q. Sec. post from which
 a Beech 16 in. dia. bears S 15 E 12 lks. dist. &
 a Do 16 " " " N 11 E 9 " "
 71 . 50 a Small Springs Brook Cor. S. W.

Sec. 1 R 3 E, 2nd Mer. Indiana

80 . 00 Let a post Cor. to Sec. 20, 21. & 28, 29. from which
 a Beech 6 in. dia. bears S 65 W 12 lks. dist. &
 a Do 15 . . . N 57 E 48 . . .
 the first half mile Land and timber same the last
 half Creek Bottom and middling farming land

East On Random line Between Sec. 20 & 28. & 4. N. R. 3 E

40 . 00 Let the q. Sec. post, temporarily

48 . 00 a Small Brook Cor. S. W.

79 . 62 Intersected the N. & S. line 30. lks. N. of post
 this mile part Hilby and part Creek Bottom the
 three first 1/4. miles good farming land Soil very rich.

West On true line Between Sec. 21 & 28. & 4. N. R. 3 E

39 . 81 Let the q. Sec. post at average dist. from which
 a W. Walnut 12 in. dia. bears N 61 E 22 lks. dist. &
 a Beech 7 . . . S 69 W 17 . . .

79 . 62 to Sec. Corner

North Between Sec. 20 & 21. & 4. N. R. 3 E var. 6.15

40 . 00 Let the q. Sec. post from which
 a Beech 13 in. dia. bears S 43 W 13 lks. dist. &
 a Hickory 4 . . . N 8 W 19 . . .

73 . 40 (to the river) Let a post Cor. to Sec. 20, 21. from which
 a Beech 10 in. dia. bears S 86 W 6 lks. dist. &
 a Dogw. 6 . . . N 82 E 16 . . .
 this mile Hilby very rich Soil timber Beech Sugar
 Ash poplar Walnut middling good farming land

West Between Sec. 16 & 21. & 4. N. R. 3 E

40 . 00 Let the q. Sec. post from which
 a Sugar 13 in. dia. bears N 53 E 20 lks. dist. &
 a Do 16 . . . S 44 W 26 . . .

Sp N 3 E. 2nd Mer. Indiana

201²⁰

49.32 (to the river) a Sycamore 14 in. dia. for Cor. To Sec.
16th 21, S 4 N. R. 3 E.
this mile river bottom good farming land Timber
Beech Sugar Ash &c.

North Between Secs. 31st 32nd 34. N. R. 3 E. May 31st 1807. var. 7.02

40.00 Set the q^r. Sec. post from which
a Beech 6 in. dia. bears N 3 W 21 lks. dist. &
a Do 11 " " " S 34 W 17 " "
80.00 Set a post Cor. to Secs. 29, 30, 31, 32, from which,
a Poplar 15 in. dia. bears N 86 W 4 lks. dist. &
a Hickory 7 " " " S 26 E 15 " "
this mile Hilley & poor Timber Oak & Hickory

East On Random Between Secs. 29, 32, 34 N. R. 3 E

40.00 Set the temp^y. q^r. Sec. post
79.80 Intersected the N. & E. line 1.36 lks South of post
Land and timber same

West On true line Between Secs. 29, 32, 34 N. R. 3 E

39.75 Set the q^r. Sec. post at average dist. from which
a Beech 5 in. dia. bears S 57 W 9 lks. dist. &
a Lassafras 13 " " " N 57 E 1 " "
79.50 To Sec. Corner

West Between Secs. 30th 31st 34. N. R. 3 E var. 6.40

40.00 Set the q^r. Sec. post from which
a W. Oak 15 in. dia. bears S 77 E 12 lks. dist. &
a Dogwood 6 " " " West 22 " "
74.00 Intersected the W. Boundary 1.66 lks. S. of post
Set a post Cor. To Secs. 30th 31st from which
a Beech 6 in. dia. bears S 88 E 18 lks. dist. &
a Do 16 " " " S 51 E 12 " "

T4N R3E, 2nd Mer. Indiana

Land very Hilly Timber Beech, Sugar, Poplar Oak
Hickory &c. poor farming land

North Between Sect. 29 & 30, T4N. R. 3E. var. 7.30

40.00 Set the qf. Sec. post from which
a W. Walnut 13 in. diam. bears S29E22 lks. dist. &
an Ironwood 5 " " " N31E8 " "

40.00 Set a post Cor. to Sect. 19, 20, 29 & 30. from which
a Beech 12 in. diam. bears N18W11 lks. dist.
a Do 11 " " " S20E46 " "

the first 1/2 mile same, last half rolling and
good farming Land

East On Random Between Sect. 20 & 29, T4N. R. 3E.

34.00 a Creek 60 lks. wide Cor. N.W.

40.00 Set temp. qf. Sec. post

78.53 Intersected N. S. line 1.38 lks North of post
this mile Creek bottom the first half mile rather
low & wet the last half rich and very good farm-
ing Land timber Beech Sugar Poplar Ash &c

West On true line Between Sect. 20 & 29, T4N. R. 3E

39.26 Set the qf. Sec. post at average dist. from which
a Beech 12 in. diam. bears N13E22 lks. dist. &
a Do 5 " " " S30E19 " "

78.53 To Sec. Corner

West Between Sect. 19 & 30, T4N. R. 3E var. 6.40

40.00 Set the qf. Sec. post from which
a Beech 9 in. diam. bears S3W10 lks. dist. &
a Sugar 16 " " " N23W6 " "

71.02 Intersected the W. Boundary 32 lks. S. of post
Set a post Cor. to Sect. 19 & 30 from which

Tract N3E2, Mer. Indiana

a Sugar 18 in. dia. bears S 55 W 18 lks. dist. of
 a Do 14 " " " N 41 E 18 " "
 this mile bottom good farming land timber
 Beech Sugar Poplar &c.

North Between Secs. 19 & 20, T4N, R3E.

40.00 Let the q. Sec. post, from which

a Beech 13 in. dia. bears N 36 E 8 lks. dist. of

a Do 14 " " " S 53 W 32 " "

80.00 Let a post Cor. to Secs. 17, 18, 19 & 20, from which

a Sugar 11 in. dia. bears N 30 E 4 lks. dist. of

a M. Ash 15 " " " N 82 W 22 " "

This mile bottom land, the 1 1/2 mile, the timber
 is principally Beech, the last 1/2 mile 1st
 rate bottom, timber Locust, Buckeye, Elm,
 Walnut &c. good farming land.

East Between Secs. 17 & 20, T4N, R3E, var. C. 40.

21.84 a Sugar 6 in. dia. on the Left bank of White R.

Cor. to Secs. 17 & 20, T4N, R3E.

Sand timber &c. same as on the last mile

North Between Secs. 17 & 18, T4N, R3E, var. C. 40.

6.98 Let a post on Left bank of White R. from which

a Sycamore 48 in. dia. bears S 10 E 15 lks. dist. of

a Beech 14 " " " N 49 W 20 " "

Sand timber &c. same as on the last mile

West Between Secs. 18 & 19, T4N, R3E, var. C. 40.

40.00 Let the q. Sec. post, from which

a Beech 20 in. dia. bears S 29 W 7 lks. dist. of

a Do 35 " " " N 9 E 29 " "

41.43 Let a post on Left bank of White River, from which

T4st. R3 E, 2nd Mer. Indiana

an Elm 10 m. dia. bear S80W 8 lks. dist.
 a B. Oak 5 " " " N35E 12 " "

This mile 1st rate bottom, timber Hackberry
 Locust, Walnut &c.

Meanders of the left bank of White River
 Commenced on the West boundary of Sec.
 19, T4st. R3 E. Thence up stream. June 4, 1887

N50E	6.07	in Sec. 19, T4st. R3 E.
N42E	8.60	
N34E	22.00	at 10.50 a creek 20 lks. wide
N49E	3.90	
N41E	4.50	
N24E	1.29	to line between Sec. 18 & 19

N48E	5.30	in Sec. 18, T4st. R3 E.
N42E	5.43	
N48E	19.19	
N58E	6.88	
N87E	2.42	
N45E	5.73	
N23E	3.14	
N30E	4.00	
N24E	5.59	
N43E	2.75	to line between Sec. 17 & 18

N23E	6.40	
N26E	1.10	to line between Sec. 17 & 20,

N17E	4.54	
N31E	9.30	
N58E	4.28	
N75E	2.35	

T4N R3E, 2nd Mer. Indiana

<i>S83E</i>	<i>3.80</i>	
<i>N79E</i>	<i>4.64</i>	
<i>N69E</i>	<i>2.60</i>	
<i>N60E</i>	<i>2.88</i>	
<i>N38E</i>	<i>4.84</i>	
<i>N24E</i>	<i>5.86</i>	<i>a creek 80 lks. wide</i>
<i>North</i>	<i>1.30</i>	
<i>N10E</i>	<i>5.46</i>	
<i>N81E</i>	<i>8.25</i>	
<i>N46E</i>	<i>7.46</i>	
<i>N77E</i>	<i>6.50</i>	
<i>S71E</i>	<i>5.18</i>	
<i>S39E</i>	<i>6.30</i>	
<i>S28E</i>	<i>3.02</i>	
<i>S37E</i>	<i>7.37</i>	
<i>S42E</i>	<i>8.00</i>	
<i>S52E</i>	<i>4.00</i>	
<i>S71E</i>	<i>5.35</i>	
<i>N89E</i>	<i>2.52</i>	<i>to line between Sec. 20 & 21</i>

<i>S87E</i>	<i>7.26</i>	<i>in Sec. 21, T4N, R3E.</i>
<i>N87E</i>	<i>5.18</i>	
<i>S82E</i>	<i>2.35</i>	
<i>N80E</i>	<i>10.53</i>	
<i>N61E</i>	<i>2.40</i>	
<i>N49E</i>	<i>3.82</i>	<i>to line between Sec. 16 & 21,</i>

<i>N7E</i>	<i>2.54</i>	<i>in Sec. 16, T4N, R3E,</i>
<i>N30W</i>	<i>7.59</i>	<i>to the lower end of an Island</i>
<i>N2E</i>	<i>6.66</i>	
<i>N18W</i>	<i>4.59</i>	
<i>N10E</i>	<i>4.57</i>	<i>to the upper end of an Island</i>
<i>East</i>	<i>3.67</i>	

207

T4N. R3E. 2nd Mer. Indiana

S53E 6.05

S39E 7.00

S54E 4.81

S60E 2.97

S72E 3.75

S80E 3.68

East 1.68 a Brook 10 ft. wide

N85E 9.46

N64E 2.75

N49E 1.50

N42E 4.00

N48E 1.25

N33E 14.03

N18E 1.27

N15E 2.67 to line between Sec. 15 & 16.

N80E 3.86 in Sec. 15, T4N. R3E.

N89E 4.27

S63E 4.82

S37E 5.49

S13E 2.39

S24E 12.37

S17E 1.28

S20E 5.48

S30E 4.68

S46E 3.61 to line between Sec. 15 & 22. June 5, 1807

S41E 3.91 in Sec. 22, T4N. R3E.

S57E 9.55

S63E 4.63

S69E 7.45

S78E 4.52

East 3.80

T4 N. R3 E. 2nd Mer. Indiana

N85 E 10.52

N61 E 4.63

N36 E 2.02

N48 E 1.72 to line between Sect. 22 & 23

N29 E 4.54 to the Mouth of Muscatituck

N28 1/2 W 3.80 to line between Sect. 14 & 23, T4 N. R3 E

N10 W 2.47 in Sect. 14, T4 N. R3 E.

N9 E 6.10

N28 E 2.48

N60 E 6.77

N69 E 2.36

N78 E 3.24

N68 E 2.00

N86 E 3.03

N71 E 4.15

N53 E 4.05

N29 E 2.17

N39 E 2.19

N19 E 3.23

N2 W 2.39

N11 W 7.95

N56 W 3.92

N44 W 3.58

N26 W 7.88

N7 E 3.26

N9 E 3.40

N12 E 2.82

N1 W 17.18

N35 E 4.96

N9 E 1.46 to line between Sect. 11 & 14, T4 N. R3 E.

S4 N. 1 E 3 E. 2^d Mer. Indiana

N57 E	4.76	in Section 11, S4 N. 1 E 3 E.
S83 E	7.42	
S76 E	5.31	
N89 E	6.02	
N73 E	2.56	
N82 E	1.34	
N64 E	3.47	
N44 E	4.00	
N36 E	2.09	
N25 E	5.00	
N14 E	1.65	
N4 E	1.69	
N13 W	1.11	
N6 W	2.40	
N31 W	1.51	
N25 W	4.31	
N43 W	4.39	
N56 W	3.37	
N60 W	8.18	at 5.50 a Brook 10 ft. wide
N67 W	5.63	
N58 W	6.88	
N36 W	5.34	
N25 W	1.28	
N38 W	3.74	
N49 W	5.20	
N35 W	10.68	
N43 W	5.97	
N17 W	3.42	
N9 E	4.12	
N23 E	1.90	
N50 E	1.69	
N63 E	6.21	
N69 E	8.50	

T4N R3E. 2^d Mer. Indiana

<i>N60E</i>	<i>0.65</i>	<i>to line between 2^d 11. T4N. R3E.</i>
<hr/>		
<i>N70E</i>	<i>8.81</i>	
<i>N79E</i>	<i>3.70</i>	
<i>N67E</i>	<i>3.84</i>	
<i>N61E</i>	<i>2.00</i>	
<i>N47E</i>	<i>4.75</i>	
<i>N42E</i>	<i>3.80</i>	
<i>N28E</i>	<i>7.63</i>	
<i>N18E</i>	<i>7.07</i>	
<i>N50E</i>	<i>3.59</i>	
<i>N41E</i>	<i>5.73</i>	
<i>N31E</i>	<i>2.73</i>	
<i>N6E</i>	<i>4.48</i>	
<i>N15W</i>	<i>1.70</i>	
<i>North</i>	<i>1.87</i>	
<i>N21W</i>	<i>1.94</i>	
<i>N33W</i>	<i>6.59</i>	
<i>N48W</i>	<i>6.35</i>	
<i>N57W</i>	<i>4.05</i>	
<i>N28W</i>	<i>7.03</i>	
<i>N16E</i>	<i>5.19</i>	
<i>N64E</i>	<i>8.60</i>	
<i>N68E</i>	<i>2.12</i>	
<i>N56E</i>	<i>3.28</i>	
<i>N69E</i>	<i>1.73</i>	
<i>N58E</i>	<i>5.56</i>	
<i>N82E</i>	<i>4.63</i>	
<i>N87E</i>	<i>2.98</i>	
<i>N77E</i>	<i>1.50</i>	
<i>N68E</i>	<i>3.33</i>	
<i>N62E</i>	<i>1.79</i>	
<i>N54E</i>	<i>0.61</i>	<i>to line between Sec. 1 & 2.</i>

T4 N. R3 E. 2nd Mer. Indiana

N60 E 2.85 in Sec. 1. T4 N. R3 E.

N35 E 1.50

N39 E 3.06

N22 E 3.43 to the N. boundary of T4 N. R3 E.

Surveyed by William Harris, Rep. Sur.

South Between Secs. 2 & 3, T4 N. R3 E.

40.00 Set the q. Sec. post, from which
a Beech 7 in. dia. bears S38°W 11 lks. dist. &
an Iron. 7 " " " S74 E 3 " "80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which
a Redbud 8 in. dia. bears N30 E 20 lks. dist. &
a Beech 8 " " " S5 E 19 " "
Level Rich land timber Beech ash Oak
Hickory & Walnut.

East Between Secs. 2 & 11, T4 N. R3 E.

7.17 Set post on the River Bank from which
an Ironwood 6 in. dia. bears N37°W 9 lks. dist. &
a Hickory 12 " " " S61°W 24 " "

South Between Secs. 10 & 11, T4 N. R3 E.

16.25 a Sugar 12 in. dia.

40.00 Set the q. Sec. post from which
a Beech 20 in. dia. bears N37°W 5 lks. dist. &
a Sugar 10 " " " S85 E 27 " "

73.00 pond 2 Chains wide leading S. W. & S. E.

80.00 Set a post Corner to Secs. 10, 11, 14 & 15 from which
a Beech 9 in. dia. bears S26 E 6 lks. dist. &
a B. Oak 29 " " " N26°W 21 " "

East Between Secs. 11 & 14, T4 N. R3 E.

10.00 a pond 2 Chains South

T₄N R3E T₂ Mer. Indiana

15.00 Set a post on the River from which
a Boxelder 8 in. dia. bears S38W12 lks. dist. &
a Hackberry 10 " " " S75W21 " "

South Between Secs. 14 & 15 T₄N. R. 3E.

8.75 W. Ash 30 in. dia.

11.00 a pond 2.50. S.E.

40.00 Set the q. Sec. post from which
a Ironwood 6 in. dia. bears N10E28 lks. dist. &
a Hackberry 20 " " " N83E13 " "

60.00 to a Redbud 8 in. dia. On the River Land the Same

South Between Secs. 3 & 4 T₄N. R. 3E

40.00 Set the q. Sec. post from which
a Beech 10 in. dia. bears S24E20 lks. dist. &
a Sugar 10 " " " S54W9 " "

80.00 Set a post Corner to Secs. 3, 4, 9 & 10 from which
a Beech 20 in. dia. bears S27E22 lks. dist. &
a W. Ash 20 " " " N43W22 " "

East Between Secs. 3 & 10 T₄N. R. 3E Random

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 17 lks. North of post.
Land the Same

West On true line Between Secs. 3 & 10 T₄N. R. 3E.

40.00 Set the q. Sec. post at average dist. from which &
a Maple 15 in. dia. bears S76W20 lks. dist. &
a Beech 12 " " " S25E5 " "

80.00 to Section Corner

South Between Secs. 9 & 10 T₄N. R. 3E

40.00 Set the q. Sec. post from which

T₄N R₃E. 2^d. Mer. Indiana

- a Beech 10 in. dia. bears S 9 W 15 lks. dist. &
 an Ironwood 6 " " " N 18 W 18 " "
 80 . 00 Set a post Corner to Sec. 9, 10, 15, 16, from which
 a Hickory 10 in. dia. bears S 71 E 21 lks. dist. &
 a Beech 10 " " " N 7 W 25 " "
 Land the same
-

- East Between Sec. 10 & 15 T₄N. R. 3 E. on Random
 40 . 00 Set temp. q. Sec. post
 76 . 00 a pond 3 Chains wide
 80 . 00 Intersected the N. & S. line at the post
 Land the same
-

- West On true line Between Sec. 10 & 15 T₄N. R. 3 E
 40 . 00 Set the q. Sec. post at average dist. from which
 a Hackberry 12 in. dia. bears S 51 E 15 lks. dist. &
 a Ironwood 6 " " " S 33 W 10 " "
 80 . 00 to Section Corner
-

- South Between Sec. 15 & 16 T₄N. R. 3 E
 33 . 75 Sycamore 96 in. dia.
 37 . 50 Set post on the River bank from which
 a Hickory 6 in. dia. bears N 15 W 8 lks. dist. &
 a Boxelder 18 " " " S 73 E 22 " "
 Land the same
-

- South Between Sec. 4 & 5 T₄N. R. 3 E
 40 . 00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bears N 2 E 34 lks. dist. &
 a Hickory 10 " " " N 71 E 21 " "
 75 . 90 a Poplar 28 " "
 79 . 00 a Brook 10 lks. S. W
 80 . 00 Set a post Corner to Sec. 4, 5, 8, 9, from which

T4 N R3 E, 2nd Mer. Indiana

a Beech 28 in. dia. bears N20W37 lks. dist. &
 a Do 9 " " " S88E10 " "
 Over very Hilly Land, timber Beech Oak & Hickory

East On Random Between Sec. 4 & 9 T4 N. R. 3 E
 20 . 00 River Bottom
 40 . 00 Set the temp. q. Sec. post
 79 . 40 Intersected N. & S. line 75 lks. North of post.
 Land level timber Beech Sugar Oak & poplar

West On true line Between Sec. 4 & 9 T4 N. R. 3 E.
 39 . 70 Set ^{Sec.} post at average dist from which
 a Beech 20 in. dia. bears N26E21 lks. dist. &
 a Do 6 " " " S31W14 " "
 79 . 40 To Section Corner

South Between Sec. 8 & 9 T4 N. R. 3 E
 40 . 00 Set the q. Sec. post from which
 a Beech 8 in. dia. bears N52W5 lks. dist. &
 a Do 8 " " " N85E13 " "
 60 . 00 a Brook 10 lks. S. W.
 63 . 75 a Beech 20 in. dia.
 80 . 00 Set a post. Cor. to Sec. ^{8, 9, 16 & 17} from which
 an Ironwood 6 in. dia. bears N8W13 lks. dist. &
 a Beech 24 " " " S19W33 " "
 Last half mile Over Level Beech timber Land

East On Random between Sec. 9 & 16, T4 N. R3 E.
 40 . 00 Set temp. q. Sec. post
 79 . 36 Intersected the N. & S. line 190 lks. N. of post
 Land rich and level, timber Oak, Hickory & Walnut.

West On true line between Sec. 9 & 16, T4 N. R3 E.

T4 N R3 E 2nd Mer. Indiana

- 39.68 Let the q. Sec. post at average dist. from which
 a Hackberry 6 in. dia. bears N42 W 21 lks. dist. &
 a Do 8 " " " S46 W 16 " "
 79.68 to Section Corner

- South Between Secs. 16 & 17 T4 N. R. 3, E
 11.50 a Brook 20 lks. wide S. E.
 36.50 to a Sugar 8 in. diameter Corners on the river bank
 Land the same rich & level

- South Between Secs. 5 & 6 T4 N. R. 3 E
 40.00 Let the q. Sec post from which
 a Beech 12 in. dia. bears N10 E 38 lks. dist. &
 a Hickory 20 " " " S4 E 43 " "
 78.00 a Brook 20 lks. S. E.
 80.00 Let a post Corner to Secs. 5, 6, 7 & 8. from which
 a Beech 12 in. dia. bears N30 E 9 lks. dist. &
 a Do 18 " " " N33 W 28 " "
 Land Hilly timber Beech Oak & Hickory.

- East Between Secs. 5 & 8 T4 N. R. 3 E
 14.00 a Brook 25 lks. South
 38.00 a Do 10 " S. W.
 40.00 Let the temp. q. Sec. post
 76.00 a Brook, 12 lks. S. W.
 78.04 Intersected the N. S. line 81 lks. South of post
 Land good, timber Beech Oak & Hickory

- West On true line Between Secs. 5 & 8 T4 N. R. 3 E
 39.12 Let the q. Sec. post at average dist from which
 a Beech 20 in. dia. bears S4 E 17 lks. dist. &
 a Do 18 " " " N20 E 15 " "
 78.04 to Section Corner

S. N. R. 3 E. 2ⁿ Mer. Indiana

South Between Secs. 7 & 8. S. 4 N. R. 3 E.
 29.25 a Chestnut Oak 29 in. dia.
 40.00 Set the q^r. Sec. post from which
 a Sugar 10 in. dia. bears S 84 W 12 lks. dist. &
 a Beech 12 " " " S 18 E 16 " "
 80.00 Set a post Corner to Secs. 7, 8, 17, 18, from which
 a W. Oak 12 in. dia. bears S 47 E 22 lks. dist. &
 a Hickory 10 " " " S 88 W 12 " "
 Land the same.

East On Random Between Secs. 8 & 17. S. 4 N. R. 3 E
 40.00 Set temp^y. q^r. Sec. post
 75.00 Brook 20 lks. South
 80.00 Intersected the N & S. line at the post
 Land flat timber Beech.

West On true line Between Secs. 8 & 17. S. 4 N. R. 3 E
 40.00 Set the q^r. Sec. post at average dist. from which
 a Beech 6 in. dia. bears N 4 W 11 lks. dist. &
 a Sugar 12 " " " N 85 W 6 " "
 80.00 to Section Corner.

South Between Secs. 17 & 18. S. 4 N. R. 3 E.
 16.00 a Brook 10 lks. wide Course S. E.
 20.00 a Beech 20 in. dia.
 33.50 a pond S. W. and N. E.
 40.00 q^r. Sec. Cor. in the pond
 42.50 to S. E. side of the pond
 57.32 to Sycamore 20 in. dia. Cor. on the riverbank
 Land the same timber Beech

West Between Secs. 6 & 7. S. 4 N. R. 3 E.
 30.00 a Brook 10 lks. Course S. E.

T4 N. R3 E. 2^d. Mer. Indiana

- 40.00 Let the g. Sec. post, from which
 a Beech 10 m. dia. bear N36W 18 lrs. dist. of
 a Sugar 6 " " " N81E 7 " "
 72.20 Intersected the W. boundary 20 lrs. N. of post
 let a post Cor. to Sec. 6 & 7, from which
 a Beech 5 m. dia. bear N26E 15 lrs. dist. of
 a Do 6 " " " N43W 9 " "
 Over very hilly land, timber Oak & Hickory

West Between Sec. 7 & 18, T4 N. R3 E.

- 17.00 at Brook 10 lrs. wide Course S.
 23.00 a Do 10 " " " S.
 40.00 Let the g. Sec. post, from which
 a Sugar 10 m. dia. bear N74E 12 lrs. dist. of
 a Poplar 8 " " " N78W 11 " "
 71.74 Let post on the W. boundary (29 lrs. N. of post)
 Cor. to Sec. 7 & 18, T4 N. R3 E. from which
 a Beech 20 m. dia. bear N64E 17 lrs. dist. of
 a Do 8 " " " N15E 16 " "
 Land the same, very hilly.

East Between Sec. 18 & 19, T4 N. R3 E.

- 18.50 Let a post on the Right bank of White River from which
 a W. Oak 24 m. dia. bear N64W 31 lrs. dist. of
 an Elm 10 " " " N63W 14 " "
 Land level and rich.

Meanders of the Right bank of White River
 from the West boundary of Town 4 N. R3 E.
 Thence upstream.

N35E 5.00 | in Sec. 19, T4 N. R3 E.

N32E 18.00

N40E 9.50 | to line between Sec. 18 & 19, T4 N. R3 E.

T4 N. R3 E. T. Mer. Indiana

21

N40 E	9.50	mi Sec. 18, T4 N. R3 E.
N51 E	35.00	
N75 E	12.50	
S35 E	8.00	
S20 E	4.00	to line between Sec. 17 & 18

S27 E	36.00	mi Sec. 17, T4 N. R3 E.
N79 E	6.00	
N24 E	9.50	
N12 E	14.00	
N38 E	14.50	
N45 E	11.50	
N66 E	14.00	
N48 E	10.00	
S32 E	14.50	
S82 E	20.50	
N86 E	5.77	
North	2.00	
N64 W	10.00	
N69 W	9.00	
N52 W	4.50	
N54 W	4.50	
N34 W	8.50	
N15 W	7.50	
N11 E	9.00	
N49 E	7.94	to line between Sec. 16 & 17

N65 E	9.00	mi Sec. 16, T4 N. R3 E.
S17 E	12.00	at 5.00 a Brook 25 ft. wide
S47 E	27.00	
S65 E	22.50	
N55 E	9.00	
N15 E	11.00	

S4N R3 E. 2^d Mer. Indiana

N47 E	10.40	
N73 E	1.96	to line between Sec. 15 & 16

N73 E	6.00	in Sec. 15, S4N, R3 E.
-------	------	------------------------

N65 E	12.00	
-------	-------	--

N46 E	8.50	
-------	------	--

S23 E	28.50	
-------	-------	--

S47 E	10.00	
-------	-------	--

N68 E	9.00	
-------	------	--

S79 E	14.00	
-------	-------	--

N82 E	9.50	
-------	------	--

N52 E	3.50	
-------	------	--

N4 E	6.50	
------	------	--

N6 W	9.50	
------	------	--

N35 E	6.90	to line between Sec. 14 & 15
-------	------	------------------------------

N50 E	7.00	in Sec. 14, S4N, R3 E.
-------	------	------------------------

S79 E	10.00	
-------	-------	--

N50 E	11.00	
-------	-------	--

N40 W	15.00	
-------	-------	--

N3 W	13.00	
------	-------	--

N8 E	9.50	
------	------	--

N9 W	8.50	
------	------	--

N11 E	5.50	
-------	------	--

N22 E	2.50	to line between Sec. 11 & 14
-------	------	------------------------------

N22 E	2.00	in Sec. 11, S4N, R3 E.
-------	------	------------------------

N47 E	15.00	
-------	-------	--

S84 E	10.00	
-------	-------	--

N85 E	9.50	
-------	------	--

N47 E	8.10	
-------	------	--

N10 E	5.50	
-------	------	--

N35 W	6.00	
-------	------	--

T4 N. R3 E. 2. Mer. Indiana

219

N60W	11.50	
N70W	10.00	
N43W	23.00	
N56W	15.00	
N17W	8.00	
North	7.00	
N33E	6.00	to line between Sec. 2 & 11

N40E	9.00	in Sec. 2, T4 N. R3 E.
N67E	30.00	
N33E	9.00	
N25E	20.00	
N13E	6.00	
N60W	11.00	
N23W	9.50	
North	8.50	a Brook 25th. wide
North	4.50	
N66E	6.00	to post in N. boundary T4 N. R3 E.

From post in N. boundary E. side of Kend in Sec. 2, T4 N. R3 E.		
N60E	12.50	in Sec. 2.
N77E	8.00	
N25E	4.80	to N. boundary at corner of Sec. 35 & 36, T5 N. R3 E.
Surveyed by Arthur Harris, D.S.		

I Certify, that the foregoing transcript of field notes of
Township N. 4 N. Range N. 3 E, 2. Mer. Indiana, has
been Comp'd. with the original notes and found to be Correct.
Surveyor General's Office
Cincinnati, April 19th 1841

E. S. Raine

Sur. Genl.